

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Adapter

Name and address of the applicant
Nom et adresse du demandeur

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input : AC 100-240V; 2.3A; 50-60Hz; Class I
Output: 1) DC 19V; 9.47A, 2) DC 19.5V, 9.23A
3) DC 24V; 7.5A, 4) DC 54V, 3.34A

Trademark (if any)
Marque de fabrique (si elle existe)

FSP

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de type

1) FSP180-ABAN3, FSP180-ABBN3, PSA-A180W19XX
(X = 0-9, A-Z or blank), 2) FSP180-AJAN3, FSP180-AJBN3
3) FSP180-AAAN3, FSP180-AABN3
4) FSP180-AWAN3, FSP180-AWBN3

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.
Re-issue of JPTUV-078420-A1/M1 dated 21.07.2017,
due to second modification.

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1:2005+A1+A2
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

11049278 004

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜVRheinland®

TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Date: 15.01.2018

Signature:

Dipl.-Ing. F. Stoelzel

1. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an,
Shenzhen, Guangdong
P. R. China
2. Zhonghan Electronics (Shenzhen) Co.,
Ltd. Building A2 in Section A, Building
4,6,7 in Section C, JuYuan Industrial
Zone, TangWei Village, FuYong Town,
BaoAn Dist., ShenZhen City, Guangdong, P. R. China
3. Wuxi SPI Technology Co., Ltd.
No. 96, Xinmei Road,
New District, Wuxi city, Jiangsu
P. R. China
4. ZHONGHAN SCIENCE & TECH CO. LTD
Building 9, Section B, JuYuan
Industrial Zone, TangWei Village,
FuYong Town, BaoAn District,
ShenZhen City, Guangdong, P. R. China
5. Wuxi ZhongHan Technology Co., Ltd.
Block 106-E,
Wuxi Nation HI-TECH Industrial
Development Zone,
Wuxi City, Jiangsu, Province, P. R. China
6. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an, Shenzhen,
Guangdong (Block A, Building 3, No. 5185,
YeeYuan Rd., County 74, Bao'an), P. R. China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 11049278 004

Date: 15.01.2018

Signature:


Dipl.-Ing. F. Stoeitzel

IEC**IECEE**
CB
SCHEME

Ref. Certif. No.

JPTUV-078420-A1/M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**Product
Produit

Switching Power Adapter

Name and address of the applicant
Nom et adresse du demandeurFSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 TaiwanName and address of the manufacturer
Nom et adresse du fabricantFSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 TaiwanName and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesInput : AC 100-240V; 2.3A; 50-60Hz; Class I
Output : 1) DC 19V; 9.47A, 2) DC 19.5V, 9.23ATrademark (if any)
Marque de fabrique (si elle existe)

FSP

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de type1) FSP180-ABAN3, FSP180-ABBN3, PSA-A180W19XX
(X = 0-9, A-Z or blank)
2) FSP180-AJAN3, FSP180-AJBN3Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)For model differences, refer to the test report.
Re-issue of JPTUV-078420-A1 dated 03.03.2017,
due to first modification.A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à laIEC 60950-1:2005+A1+A2
See Test Report for National DifferencesAs shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

11049278 003

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification **TÜVRheinland®**TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Dipl.-Ing. F. Stoeitzel

Date: 21.07.2017

Signature:

1. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an,
Shenzhen, Guangdong
P. R. China
2. Zhonghan Electronics (Shenzhen) Co.,
Ltd. Building A2 in Section A, Building
4,6,7 in Section C, JuYuan Industrial
Zone, TangWei Village, FuYong Town,
BaoAn Dist., ShenZhen City, Guangdong, P. R. China
3. Wuxi SPI Technology Co., Ltd.
No. 96, Xinmei Road,
New District, Wuxi city, Jiangsu
P. R. China
4. ZHONGHAN SCIENCE & TECH CO.LTD
Building 9, Section B, JuYuan
Industrial Zone, TangWei Village,
FuYong Town, BaoAn District,
ShenZhen City, Guangdong, P. R. China
5. Wuxi ZhongHan Technology Co., Ltd.
Block 106-E,
Wuxi Nation HI-TECH Industrial
Development Zone,
Wuxi City, Jiangsu, Province, P. R. China
6. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an, Shenzhen,
Guangdong (Block A, Building 3, No. 5185,
YeeYuan Rd., County 74, Bao'an), P. R. China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 11049278 003

Date: 21.07.2017

Signature:


Dipl.-Ing. F. Stoelzel



Ref. Certif. No.

JPTUV-078420-A1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Adapter

Name and address of the applicant
Nom et adresse du demandeur

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input : AC 100-240V; 2.3A; 50-60Hz; Class I
Output: 1) DC 19V; 9.47A, 2) DC 19.5V, 9.23A

Trademark (if any)
Marque de fabrique (si elle existe)

FSP

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

N/A

Model / Type Ref.
Ref. de type

1) FSP180-ABAN3, FSP180-ABBN3, PSA-A180W19XX
(X = 0-9, A-Z or blank)
2) FSP180-AJAN3, FSP180-AJBN3

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.
Re-issue of JPTUV-078420 dated 15.02.2017,
due to non-technical change.

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1:2005+A1+A2
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

11049278 002

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Dipl.-Ing. F. Stoezel

Date: 03.03.2017

Signature:


1. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an,
Shenzhen, Guangdong
P.R. China
2. Zhonghan Electronics (Shenzhen)
Co., Ltd.
Building A2 in Section A, Building 4,6
,7 in Section C, JuYuan Industrial
Zone, TangWei Village, FuYong Town, BaoAn Dist., ShenZhen City, Guangdong, P.R. China
3. Wuxi SPI Technology Co., Ltd.
No. 96, Xinmei Road,
New District, Wuxi city, Jiangsu
P.R. China
4. ZHONGHAN SCIENCE & TECH CO. LTD
Building 9, Section B, JuYuan
Industrial Zone, TangWei Village,
FuYong Town, BaoAn District,
ShenZhen City, Guangdong, P.R. China
5. Wuxi ZhongHan Technology Co., Ltd.
Block 106-E,
Wuxi Nation HI-TECH Industrial
Development Zone,
Wuxi City, Jiangsu, Province, P.R. China
6. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an, Shenzhen,
Guangdong (Block A, Building 3, No. 5185,
YeeYuan Rd., County 74, Bao'an), P.R. China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 11049278 002

Date: 03.03.2017

Signature:


Dipl.-Ing. F. Stoelzel

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

Switching Power Adapter

Name and address of the applicant
Nom et adresse du demandeur

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the manufacturer
Nom et adresse du fabricant

FSP Group Inc.
No. 22, Jianguo E. Road
Taoyuan 330 Taiwan

Name and address of the factory
Nom et adresse de l'usine

See additional page(s)

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input : AC 100-240V, 2.3A; 50-60Hz; Class I
Output: 1) DC 19V; 9.47A, 2) DC 19.5V, 9.23A

Trademark (if any)
Marque de fabrique (si elle existe)

FSP

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

CTF Stage 1

Model / Type Ref.
Ref. de type

1) FSP180-ABAN3, FSP180-ABBN3
2) FSP180-AJAN3, FSP180-AJBN3

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

For model differences, refer to the test report.

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à la

IEC 60950-1:2005+A1+A2
See Test Report for National Differences

As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

11049278 001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification



TÜVRheinland®

TÜV Rheinland Japan Ltd.
Global Technology Assessment Center
4-25-2 Kita-Yamata, Tsuzuki-ku
Yokohama 224-0021 Japan
Phone + 81 45 914-3888
Fax + 81 45 914-3354
Mail: info@jpn.tuv.com
Web: www.tuv.com

Date: 15.02.2017

Signature:

Dipl.-Ing. F. Stoelzel

1. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an,
Shenzhen, Guangdong
P.R. China
2. Zhonghan Electronics (Shenzhen)
Co., Ltd.
Building A2 in Section A, Building 4,6
,7 in Section C, JuYuan Industrial
Zone, TangWei Village, FuYong Town, BaoAn Dist., ShenZhen City, Guangdong, P.R. China
3. Wuxi SPI Technology Co., Ltd.
No. 96, Xinmei Road,
New District, Wuxi city, Jiangsu
P.R. China
4. ZHONGHAN SCIENCE & TECH CO.LTD
Building 9, Section B, JuYuan
Industrial Zone, TangWei Village,
FuYong Town, BaoAn District,
ShenZhen City, Guangdong, P.R. China
5. Wuxi ZhongHan Technology Co., Ltd.
Block 106-E,
Wuxi Nation HI-TECH Industrial
Development Zone,
Wuxi City, Jiangsu, Province, P.R. China
6. ShenZhen HuiLi Electronics CO., LTD
Block C, Building 4,6,7,8,9,10,11,
County 73, Xin'an, Bao'an, Shenzhen,
Guangdong (Block A, Building 3, No. 5185,
YeeYuan Rd., County 74, Bao'an), P.R. China

Additional information (if necessary)
Information complémentaire (si nécessaire)

Report Ref. No.: 11049278 001

Date: 15.02.2017

Signature:

Dipl.-Ing. F. Stoezel